



LANDSCAPE DATA

	REQUIRED	PROVIDED
Buffer BY10	20'	20' buffer
One canopy tree for every 25' West property line 273' / 25'	11 canopy trees	11 canopy trees
One canopy tree for every 25' East property line 273' / 25'	11 canopy trees	11 canopy trees
One canopy tree for every 50' South property line 190 / 50'	4 canopy trees	4 canopy trees
Buffer Public Street East Broad Street	20' buffer	20' buffer
One canopy tree for every 40' Broad Street 186' / 40'	5 canopy trees	5 Canopy Trees
Screening of Parking form Public Streets Broad Steet One shrub for every 3' 265' / 3'	88 shrubs	129 shrubs
Internal Parking Lot Landscape One canopy tree for every 10 spaces 47 spaces / 10	5 canopy trees	5 canopy trees
Foundation Landscaping Landscape area on entry facade Landscape area on public street facade	4' 4'	6' 23'
Landscape Area 10% of lot shall be landscaped Site Area 51,096 sf x 10%	5,110 sf.	13,405 sf.

PLANT SCHEDULE

ILANIS	UIILL	70 LL						
TREES	QTY	COMMON NAME	BOTANICAL NAME	SIZE	CONT.	<u>HEIGHT</u>	SPREAD	
	17	BALD CYPRESS	TAXODIUM DISTICHUM	4"	45 GAL.	12`	6,-8,	
3 - 5	4	CHINESE PISTACHE	PISTACIA CHINENSIS	3.5"	65 GAL	10`	6,-8,	
	4	LIVE OAK	QUERCUS VIRGINIANA	3"	65 GAL	10`	6`-8`	
e de la companya de l	12	RED OAK	QUERCUS SHUMARDII	3.5"	65 GAL	10`	6`-8`	
<u>SHRUBS</u>	<u>QTY</u>	COMMON NAME	BOTANICAL NAME	CONT.	<u>HEIGHT</u>	SPREAD	SPACING	
\odot	10	ARTEMISIA	ARTEMISIA X 'POWIS CASTLE'	1 GAL	8"-10"	12"-14"	24" OC.	
	28	AUTUMN SAGE	SALVIA GREGGII	3 GAL	18"-24"	18"-24"	30" OC	
\bigcirc	141	DWARF BURFORD HOLLY	ILEX CORNUTA 'DWARF BURFORD'	5 GAL	30"-36"	24" - 30"	3, OC ⁻	
	2	DWARF CRAPE MYRTLE	LAGERSTROEMIA INDICA 'CHERRY DAZZLE'	15 GAL	3.	3,	AS SHOWN	
	4	DWARF WAX MYRTLE	MYRICA CERIFERA 'DON'S DWARF'	5 GAL	12" - 18"	10"-12"	36" OC.	
and the state of t	14	GULF MUHLY	MUHLENBERGIA CAPILLARIS	5 GAL	18"-24"	12"-18"	36" OC.	
	25	INDIAN HAWTHORN	RHAPHIOLEPIS INDICA 'BALERINA'	3 GAL	24"-26"	24"-26"	36" OC.	
\odot	80	LINDHEIMER MUHLY	MUHLENBERGIA LINDHEIMERI	5 GAL	18"-24"	12"-18"	36" OC.	
	7	LOROPETALAM	LOROPETALAM 'PURPLE MAJESTY'	7 GAL	60"	48"	72" OC.	
****	19	MISCANTHUS	MISCANTHUS SINENSIS 'ADAGIO'	3 GAL	12" - 18"	10"-12"	36" OC	
\odot	5	NANDINA	NANDINA DOMESTICA 'HARBOUR DWARF'	3 GAL	12" - 18"	10"-12"	24" OC.	
\odot	9	PITTOSPORUM	PITTOSPORUM TOBIRA 'NANA'	3 GAL	12" - 18"	10"-12"	36" OC.	
5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	99	SPIREA	SPIREA X BUMALDA 'ANTHONY WATERER'	3 GAL	18"-24"	18"-24"	36" OC.	
\bigcirc	36	TEXAS SAGE	LEUCOPHYLLUM FRUTESCENS 'COMPACTUM'	5 GAL	42 " -48"	42"- 48"	60" OC.	
GROUND COVERS	QTY	COMMON NAME	BOTANICAL NAME	CONT.	<u>HEIGHT</u>	SPREAD	SPACING	
	3,129	BIG BLUE LILYTURF	LIRIOPE MUSCARI 'BIG BLUE'	1 GAL	4"-6"	8 " -10"	12" OC.	
		ZOYSIA GRASS	ZOYSIA	SOLID SOD	NA	NA	NA	
	STEEL EDGING							





ZC#15-025 LANDSCAPE PLAN



SLIM CHICKENS


LOT 3 BLOCK 1 OF THE JACOB BACK ADDITION
TO THE JACOB BACK SURVEY ABSTRACT NO. 126
CITY OF MANSFIELD, TARRANT COUNTY, TEXAS
1.173 ACRES PROJECT NO: 2164.001 DESIGNED: SJP DRAWN: JMM

CHECKED: SJP

1 of 2


PLANTING NOTES

- 1. ALL PLANTS MUST BE HEALTHY, VIGOROUS MATERIAL, FREE OF PESTS AND DISEASE
- 2. ALL PLANTS MUST BE CONTAINER GROWN OR BALLED AND BURLAPPED AS INDICATED IN THE PLANT LIST.
- 3. ALL TREES MUST BE STRAIGHT TRUNKED, FULL HEADED AND MEET ALL REQUIREMENTS SPECIFIED.
- 4. ALL PLANTS ARE SUBJECT TO THE APPROVAL OF THE OWNER'S REPRESENTATIVE BEFORE, DURING AND AFTER INSTALLATION
- 5. ALL TREES MUST BE GUYED OR STAKED AS SHOWN IN THE DETAILS.
- 6. ALL PLANTING AREAS MUST BE COMPLETELY MULCHED AS
- SPECIFIED.
- 7. LOCATIONS OF EXISTING BURIED UTILITY LINES SHOWN ON THE PLANS ARE BASED UPON BEST AVAILABLE INFORMATION AND ARE TO BE CONSIDERED APPROXIMATE.
- 8. PRIOR TO CONSTRUCTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES AND SHALL AVOID DAMAGE TO ALL NULLITIES DURING THE COURSE OF THE WORK. THE CONTRACTOR IS RESPONSIBLE FOR REPAIRING ANY AND ALL DAMAGE TO THE NULLITIES, STRUCTURES, SITE APPURTENANCES, ETC., WHICH OCCURS AS A RESULT OF THE LANDSCAPE CONSTRUCTION.
- 9. ALL PLANT MATERIAL QUANTITIES SHOWN ARE APPROXIMATE. CONTRACTOR SHALL BE RESPONSIBLE FOR COMPLETE COVERAGE OF ALL PLANTING BEDS AT SPACING SHOWN.
- 10. THE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES SHOWN ON THESE PLANS BEFORE PRICING THE WORK.
- 11. THE CONTRACTOR IS RESPONSIBLE FOR FULLY MAINTAINING ALL PLANTING, INCLUDING BUT NOT LIMITED TO: WATERING, MOWING, EDGING, SPRAYING, MULCHING. WEEDING, FERTILIZING, ETC. OF THE PLANTING AREAS AND LAWN UNTIL THE WORK IS ACCEPTED IN TOTAL BY THE OWNER.
- 12. THE CONTRACTOR SHALL COMPLETELY GUARANTEE ALL PLANT MATERIAL FOR A PERIOD OF TWO (2) YEARS BEGINNING ON THE DATE OF TOTAL ACCEPTANCE. THE CONTRACTOR SHALL PROMPTLY MAKE ALL REPLACEMENTS BEFORE OR AT THE END OF THE GUARANTEE PERIOD.
- 13. THE CONTRACTOR SHALL STAKE THE PROPOSED LOCATION OF ALL TREES AND PLANTING BEDS AND RECEIVE APPROVAL OF THE OWNER PRIOR TO INSTALLATION.
- 14. AFTER BEING DUG AT HE NURSERY SOURCE, ALL TREES IN LEAF SHALL BE ACCLIMATED FOR TWO WEEKS UNDER A MIST SYSTEM PRIOR TO INSTALLATION.
- 15. ANY PLANT MATERIAL WHICH DIES, TURNS BROWN, OR DEFOLIATES PRIOR TO TOTAL ACCEPTANCE OF THE WORK SHALL BE PROMPTLY REMOVED FROM THE SITE AND REPLACED WITH MATERIAL OF THE SAME SPECIES, QUAINTLY, AND SIZE. THE REPLACEMENT MATERIAL SHALL MEET ALL PLANT LIST SPECIFICATIONS.
- 16. STANDARDS SET FORTH IN THE "AMERICAN STANDARD FOR NURSERY STOCK" REPRESENT GUIDELINE SPECIFICATIONS ONLY AND SHALL CONSTITUTE MINIMUM QUALITY REQUIREMENTS FOR PLANT MATERIAL.
- 17. SAFE, CLEARLY MARKED PEDESTRIAN AND VEHICULAR ACCESS TO ALL ADJACENT PROPERTIES MUST BE MAINTAINED THROUGHOUT THE CONSTRUCTION
- 18. DURING THE GROWING SEASON ALL ANNUALS SHALL REMAIN IN HEALTHY, VITAL CONDITION THROUGHOUT THE CONSTRUCTION PERIOD.
- 19. THE CONTRACTOR I S CAUTIONED THAT LOCAL CITY STANDARDS MAY DIFFER FROM THOSE SHOWN HEREIN. CONSTRUCTION IS TO BE PERFORMED IN ACCORDANCE WITH LOCAL, CITY, STATE OR FEDERAL SPECIFICATIONS AND DETAILS SHOULD BE MORE STRINGENT THAN THOSE REPRESENTED HEREIN.
- 20. ALL SHRUB, GROUND COVER AND SEASONAL COLOR AND ANNUAL PLANTING BEDS ARE TO BE COMPLETELY COVERED WITH MULCH TO A MINIMUM DEPTH OF THREE INCHES.
- 21. STEEL EDGING SHALL BE INSTALLED FOR THE FOLLOWING INTERFACES:
- TURF to SHRUB
- TURF to GROUNDCOVER GROUNDCOVER to SHRUB
- GROUNDCOVER to SEASONAL
- GROUNDCOVER to GROUNDCOVER
- 22. IF LANDSCAPE CONTRACTOR DEMONSTRATES THAT ALL KNOWN RESOURCES HAVE BEEN EXHAUSTED FOR SPECIFIED PLANT MATERIAL AND AVAILABILITY OR QUALITY DOES NOT MEET OR EXCEED CRITERIA, CONTACT OWNER'S REPRESENTATIVE FOR ALTERNATIVE PLANT MATERIAL POSSIBILITIES.
- 23. PLANT MATERIALS -PLANTING SOIL:
 - "ACID GRO READY-TO-PLANT" BY SOIL BUILDING SYSTEMS, INC.
 - (214)239-4777 OR APPROVED EQUAL. -AZALEAS:
- PLANT 100% PEAT MOSS. PLANT ALL OTHER PLANTINGS IN PLANTING SOIL.
- -MYCORRHIZAL SUPPLEMENT
- "DIEHARD-TRANSPLANT," BY HORTICULTURAL ALLIANCE, INC.
- (800)628-6377, WWW.HORTICULTURALALLIANCE.COM. APPLY TO ALL PLANTINGS DURING THE PLANTING OPERATION AT THE RATES SPECIFIED BY THE MANUFACTURER. THE CONTRACTOR SHALL CALCULATE THE REQUIRED AMOUNT OF "DIEHARD TRANSPLANT." FOR THE PROJECT USING THE MANUFACTURER'S SPREADSHEET AND SUBMIT THE SPREADSHEET WITH THE PROJECT SUBMITTALS. THE CONTRACTOR SHALL SUBMIT RECEIPTS OF THE ACTUAL PURCHASE OF THE "DIEHARD TRANSPLANT," MATERIAL AT TIME OF PROJECT PURCHASE.
- "FINE CUT HARDWOOD MULCH" BY SOIL BUILDING SYSTEMS, INC.
- (214)239-4777 OR APPROVED EQUAL







SHRUB PLANTING DETAIL AND SPACING DIAGRAM



DECIDUOUS TREE PLANTING AND STAKING



GRASS AND PERENNIAL SPACING AND DETAIL



GRASS SODDING/SEEDING NOTES:

- 1. ALL SOD SHALL BE COMMON BERMUDA. CYNODON DACTYLON.
- 2. OVERSEEDING FOR ANY SOD LAID BETWEEN SEPT. 15 THRU APRIL 15, HAND OVERSEED ANNUAL RYE AT 10 LBS./1000 S.F. FOR ALL SODDED AREAS SHOWN ON PLAN.
- 3. BID SHOULD INCLUDE BOTH STEPS (SODDING AND OVERSEEDING) IF PROJECT POSSESSION DATE OCCURS BETWEEN SEPT.15 AND APRIL 15.
- 4. ALL UNSURFACED AREAS ARE TO RECEIVE FOUR INCHES OF TOPSOIL, SOD/SEED, MULCH, AND WATERED UNTIL HEALTHY STAND OF GRASS IS OBTAINED.
- 5. PROVIDE TEMPORARY IRRIGATION AS NEEDED UNTIL A HEALTHY STAND OF GRASS IS ESTABLISHED OR UNTIL PERMANENT IRRIGATION IS FUNCTIONAL.

IRRIGATION NOTES:


- 1. ALL PLANTED AREAS SHALL BE WATERED WITH AN UNDERGROUND IRRIGATION SYSTEM. THE IRRIGATION SYSTEM SHALL BE AUTOMATICALLY CONTROLLED WITH A FULLY PROGRAMMABLE ET BASED CONTROLLER WITH RAIN AND FREEZE SENSORS.
- 2. THE IRRIGATION SYSTEM AND INSTALLATION SHALL MEET ALL OF THE APPROPRIATE REQUIREMENTS OF THE LOCAL MUNICIPALITY.
- Applicant shall comply with all irrigation regulations in V.T.C.A. Administrative Code Title 30. Chapter 344 rules established by the State of Texas; and requirements for irrigation design and water conservation set in the Allen Land Development Code Section 7.05.6, and the City of Allen Water Conservation and Drought Contingency and Emergency Response Plan.

#4 RE-BAR 13" DIAMETER SINGLE ROOTBALL ANCHOR RING TO ACCOMMODATE 22" ROOTBALL 6" U BRACKET

(3) SEPARATE 36" NAIL STAKES WITH ANGLED TIP AT BOTTOM FOR EASY INSTALL

15" & 18" DIAMETER DOUBLE ROOTBALL ANCHOR RING TO ACCOMMODATE 27" ROOTBALL 6" U BRACKET

(3) SEPARATE 36" NAIL STAKES WITH ANGLED TIP AT BOTTOM FOR EASY INSTALL



<u>65 BG-NS</u>

#4 RE-BAR ROOTBALL ANCHOR RINGS


18" & 21" DIAMETER DOUBLE ROOTBALL ANCHOR RING TO ACCOMMODATE 30" ROOTBALL

6" U BRACKET (3) SEPARATE 36" NAIL STAKES WITH ANGLED TIP AT BOTTOM FOR EASY INSTALL

100 BG-NS


#4 RE-BAR 21" & 24" DIAMETER DOUBLE ROOTBALL ANCHOR RING TO ACCOMMODATE 36" ROOTBALL

6" U BRACKET (3) SEPARATE 36" NAIL STAKES WITH ANGLED TIP AT BOTTOM



ΓREE STAKE DETAIL

281-723-9081



REVISIONS

DESCRIPTION

DATE

ZC#15-025 LANDSCAPE NOTES & DETAILS




550 Bailey Avenue • Suite 400 • Fort Worth, Texas 7610 Tel: 817.335.112 (TX REG. F-1114)

SLIM CHICKENS

LOT 3 BLOCK 1 OF THE JACOB BACK ADDITION TO THE JACOB BACK SURVEY ABSTRACT NO. 126 CITY OF MANSFIELD, TARRANT COUNTY, TEXAS 1.173 ACRES


DESIGNED: SJP DRAWN: CHECKED: SJP

PROJECT NO: 2164.001 2 of 2 DUMPSTER ENCLOSURE SIDE ELEVATION
scale: 1/2"=1'-0"




DUMPSTER ENCLOSURE PLAN
scale: 1/2"=1'-0"






DUMPSTER ENCLOSURE REAR ELEVATION
scale: 1/2"=1'-0"




DUMPSTER ENCLOSURE GATE ELEVATION SCALE: 1/2"=1'-0"




THE TEXAS BOARD OF ARCHITECTURAL E X A M I N E R S P.O. BOX 12337, AUSTIN, TX 78711-2337 P H O N E - (5 1 2) 3 0 5 - 9 0 0 0 HAS JURISDICTION OVER INDIVIDUALS LICENSED UNDER THE ARCHITECT'S REGISTRATION LAW, TEXAS CIVIL STATUTES, ARTICLE 249A THESE ARCHITECTURAL DRAWINGS HAVE BEEN PREPARED FOR ARCHITECTURAL DESIGN ONLY.
CIVIL, STRUCTURAL, MECHANICAL, AND OTHER
RELATED ENGINEERING DESIGNATED SPECIFICATIONS ARE THE RESPONSIBILITY OF THE RESPECTIVE ENGINEERS. COMPLIANCE OF THESE DRAWINGS WILL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR. ALL MEASUREMENTS SHALL BE VERIFIED BY THE CONTRACTOR DOING THE RESPECTIVE WORK. THESE DRAWINGS, AS INSTRUMENTS OF SERVICE ARE THE EXCLUSIVE PROPERTY OF THE ARCHITECT, AND ARE NOT TO BE USED IN WHOLE OR PART WITHOUT HIS OR HER EXPRESS WRITTEN
PERMISSION. UNAUTHORIZED USE OF THESE

DRAWINGS WILL SUBJECT THE USER TO LEGAL REMEDY BEING SOUGHT BY FORM STUDIOS INC.



DRAWINGS ARE ONLY AN APPROXIMATION OF EXISTING CONDITIONS. CONTRACTOR SHALL VISIT SITE AND EXAMINE EXISTING CONSTRUCTION, NOTE ALL CONDITIONS AS TO CHARACTER AND EXTENT OF WORK INVOLVED, VERIFY ALL DIMENSIONS PRIOR TO LAYOUT AND NOTIFY FORM STUDIOS OF ANY DISCREPANCIES, BEFORE STARTING ANY WORK. REQUIREMENTS AND REPORT CONFLICTS TO FORM STUDIOS IMMEDIATELY, IF FOUND. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONAL DATA. CONTRACTOR SHALL NOT SCALE DRAWINGS, CONTACT FORM STUDIOS FOR DIMENSIONAL CONFLICTS AND QUESTIONS.

HESE DOCUMENTS SHALL NOT BE USED FOR CONSTRUCTION UNTIL A SIGNATURE AND DATE HAS BEEN AFFIXED TO THE SEAL. DO NOT SCALE DRAWINGS CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS-NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNIING ONSTRUCTION




ZC#15-025 EXHIBIT B: DUMPSTER ENCLOSURE

DUMPSTER ENCLOSURE

A1.0

pyright © FORM studios,inc. - 2015





T.O. SERVICE YARD 110' - 11 3/4" T.O. SOLDIER COURSE

03 / A2.1

- RIDGE CAP LOW R-PANEL METAL ROOF GALVALUME EXPOSED TRUSS - PAINT P-4 CONTINUOUS ALUMNINUM SNOW — GUARD. 5" HALF ROUND GALVANIZED METAL GUTTER & 4" ROUND DOWNSPOUTS, TYP. BRICK VENEER —— RUNNING BOND

CONTINUOUS ALUMINUM -SNOW GUARD

5" HALF ROUND


GALVANIZED METAL
GUTTER & 4" ROUND
DOWNSPOUTS TYP.

HARDIE PANEL TO RETURN AT CORNER PAINT P-4

O4 DRIVE-THRU ELEVATION

SCALE: 1/4"=1'-0"

MATERIAL KEY	COLOR RGB	NAME	MFG.
P1	237-236-230	PURE WHITE	SHERWIN WILLIAMS
P4	87-86-84	IRON MOUNTAIN	BENJAMIN MOORE
BRICK	161-129-114	SALEM CREEK TUDOR	BLACKSON BRICK
STONE	155-156-155	SILVER MIST	BLACKSON BRICK




04 / A2.1

STUDIOS INC. FORM @ FORMFINDING.COM 817-426-3006 VOICE 817-426-3008 FAX 300 BURNETT ST. SUITE 120 FORT WORTH, TX 76102

THE TEXAS BOARD OF ARCHITECTURAL E X A M I N E R S P.O. BOX 12337, AUSTIN, TX 78711-2337 P H O N E - (5 1 2) 3 0 5 - 9 0 0 0 HAS JURISDICTION OVER INDIVIDUALS LICENSED UNDER THE ARCHITECT'S REGISTRATION LAW, TEXAS CIVIL STATUTES, ARTICLE 249A

THESE ARCHITECTURAL DRAWINGS HAVE BEEN PREPARED FOR ARCHITECTURAL DESIGN ONLY. CIVIL, STRUCTURAL, MECHANICAL, AND OTHER RELATED ENGINEERING DESIGNATED SPECIFICATIONS ARE THE RESPONSIBILITY OF THE RESPECTIVE ENGINEERS. COMPLIANCE OF THESE DRAWINGS WILL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR. ALL MEASUREMENTS SHALL BE VERIFIED BY THE CONTRACTOR DOING THE RESPECTIVE WORK.

THESE DRAWINGS, AS INSTRUMENTS OF SERVICE ARE THE EXCLUSIVE PROPERTY OF THE ARCHITECT, AND ARE NOT TO BE USED IN WHOLE OR PART WITHOUT HIS OR HER EXPRESS WRITTEN PERMISSION. UNAUTHORIZED USE OF THESE DRAWINGS WILL SUBJECT THE USER TO LEGAL REMEDY BEING SOUGHT BY FORM STUDIOS INC.



DRAWINGS ARE ONLY AN APPROXIMATION OF EXISTING CONDITIONS. CONTRACTOR SHALL VISIT SITE AND EXAMINE EXISTING CONSTRUCTION, NOTE ALL CONDITIONS AS TO CHARACTER AND EXTENT OF WORK INVOLVED, VERIFY ALL DIMENSIONS PRIOR TO LAYOUT AND NOTIFY FORM STUDIOS OF ANY DISCREPANCIES, BEFORE STARTING ANY WORK.

- RIDGE CAP HIGH

T.O. BUILDING

123'-7 1/2" T.O. PATIO ROOF

CONTRACTOR SHALL COORDINATE ALL TRADE REQUIREMENTS AND REPORT CONFLICTS TO FORM STUDIOS IMMEDIATELY, IF FOUND. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONAL DATA. CONTRACTOR SHALL NOT SCALE DRAWINGS, CONTACT FORM STUDIOS FOR DIMENSIONAL CONFLICTS AND QUESTIONS.


THESE DOCUMENTS SHALL NOT BE USED FOR REGULATORY REVIEW, PERMITTING NOR CONSTRUCTION UNTIL A SIGNATURE AND DATE HAS BEEN AFFIXED TO THE SEAL. DO NOT SCALE DRAWINGS CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS-NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNING



ZC#15-025 EXHIBIT B: EXTERIOR ELEVATIONS

EXTERIOR ELEVATIONS

A2.1




opyright © FORM studios,inc. - 2015

127'-0"

T.O. BUILDING



THE TEXAS BOARD OF ARCHITECTURAL
E X A M I N E R S
P.O. BOX 12337, AUSTIN, TX 78711-2337
P H O N E - (5 1 2) 3 0 5 - 9 0 0 0
HAS JURISDICTION OVER INDIVIDUALS LICENSED
UNDER THE ARCHITECT'S REGISTRATION LAW, TEXAS CIVIL STATUTES, ARTICLE 249A THESE ARCHITECTURAL DRAWINGS HAVE BEEN PREPARED FOR ARCHITECTURAL DESIGN ONLY. CIVIL, STRUCTURAL, MECHANICAL, AND OTHER RELATED ENGINEERING DESIGNATED SPECIFICATIONS ARE THE RESPONSIBILITY OF THE RESPECTIVE ENGINEERS. COMPLIANCE OF THESE DRAWINGS WILL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR. ALL MEASUREMENTS SHALL BE VERIFIED BY THE CONTRACTOR DOING THE RESPECTIVE WORK. THESE DRAWINGS, AS INSTRUMENTS OF SERVICE ARE THE EXCLUSIVE PROPERTY OF THE ARCHITECT, AND ARE NOT TO BE USED IN WHOLE OR PART WITHOUT HIS OR HER EXPRESS WRITTEN PERMISSION. UNAUTHORIZED USE OF THESE DRAWINGS WILL SUBJECT THE USER TO LEGAL REMEDY BEING SOUGHT BY FORM STUDIOS INC.



DRAWINGS ARE ONLY AN APPROXIMATION OF EXISTING CONDITIONS. CONTRACTOR SHALL VISIT SITE AND EXAMINE EXISTING CONSTRUCTION, NOTE ALL CONDITIONS AS TO CHARACTER AND EXTENT OF WORK INVOLVED, VERIEY ALL DIMENSIONS PRIOR TO LAYOUT AND NOTIFY FORM STUDIOS OF ANY DISCREPANCIES, BEFORE STARTING ANY WORK. CONTRACTOR SHALL COORDINATE ALL TRADE REQUIREMENTS AND REPORT CONFLICTS TO FORM STUDIOS IMMEDIATELY, IF FOUND, THE CONTRACTOR SHALL VERIFY ALL DIMENSIONAL DATA.


THESE DOCUMENTS SHALL NOT BE USED FOR REGULATORY REVIEW, PERMITTING NOR CONSTRUCTION UNTIL A SIGNATURE AND DATE HAS BEEN AFFIXED TO THE SEAL. DO NOT SCALE DRAWINGS CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS-NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNIING



ZC#15-025 EXHIBIT B:

EXTERIOR ELEVATIONS

A2.1



STONE BASE
W/ ROWLOCK

BRICK ACCENT

STONE BASE— W/ ROWLOCK

MATERIAL PERCENTAGE CALCULATIONS

(OTHER) MASONRY LIKE - 17%

TOTAL AREA: 1,168 SF


MASONRY - 83%

BRICK ACCENT

pyright © FORM studios,inc. - 2015



THE TEXAS BOARD OF ARCHITECTURAL
E X A M I N E R S
P.O. BOX 12337, AUSTIN, TX 78711-2337
P H O N E - (512) 305-9000
HAS JURISDICTION OVER INDIVIDUALS LICENSED UNDER THE ARCHITECT'S REGISTRATION LAW, TEXAS CIVIL STATUTES, ARTICLE 249A THESE ARCHITECTURAL DRAWINGS HAVE BEEN PREPARED FOR ARCHITECTURAL DESIGN ONLY.
CIVIL, STRUCTURAL, MECHANICAL, AND OTHER
RELATED ENGINEERING DESIGNATED SPECIFICATIONS ARE THE RESPONSIBILITY OF THE RESPECTIVE ENGINEERS. COMPLIANCE OF THESE DRAWINGS WILL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR. ALL MEASUREMENTS SHALL BE VERIFIED BY THE CONTRACTOR DOING THE RESPECTIVE WORK. THESE DRAWINGS, AS INSTRUMENTS OF SERVICE ARE THE EXCLUSIVE PROPERTY OF THE ARCHITECT, AND ARE NOT TO BE USED IN WHOLE OR PART WITHOUT HIS OR HER EXPRESS WRITTEN PERMISSION. UNAUTHORIZED USE OF THESE DRAWINGS WILL SUBJECT THE USER TO LEGAL REMEDY BEING SOUGHT BY FORM STUDIOS INC.



THESE DOCUMENTS SHALL NOT BE USED FOR CONSTRUCTION UNTIL A SIGNATURE AND DATE HAS BEEN AFFIXED TO THE SEAL. DO NOT SCALE DRAWINGS CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS-NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO BEGINNIING ONSTRUCTION

ZC#15-025 EXHIBIT B:

EXTERIOR ELEVATIONS

EXTERIOR ELEVATIONS