


PINNACLE SIGN
GROUP
VISUAL BRANDING THAT MAKES A DIFFERENCE




SOUTHWEST ELEVATION / SCALE: 1" = 9'


- Electrical Info
- Permitting Info
- Sizing & Placement Info




NORTHWEST ELEVATION / SCALE: 1" = 9'



SOUTHEAST ELEVATION / SCALE: 1" = 9'



NORTHEAST ELEVATION / SCALE: 1" = 9'



THIS DRAWING OR ANY COPY IS THE PROPERTY OF PINNACLE SIGN GROUP UNLESS PURCHASED OR WRITTEN CONSENT FROM PSG © 2021 PINNACLE SIGN COMPANY! UNAUTHORIZED USE OF THIS WORK FOR ANY PURPOSE WILL RESULT IN LEGAL ACTION.


ANDY'S FROZEN CUSTARD

CUSTOMER	
0712-21-SITE-1	AS SHOWN
DRAWING NUMBER	ELEVATION
07.12.21	
DATE REVISED	
BUDDY HINDS	TIM SWAIM
DESIGNER	PROJECT MANAGER
MANSFIELD, TX	
LOCATION	
SCOPE OF WORK	

- ▶ Exterior Signage
 - A Neon Illuminated Fascia (AFC-STND-FASC-1)
 - B Neon Illuminated Corner Fascia Cabinets (AFC-STND-FASC-2)
 - C Pan Embossed Wall Logo (0712-21-EWAL-1)
 - D LED Illuminated Reverse Channel Accent Lighting (1201-20-SPEC-1)
- ▶ Window Signage
 - E Hanging Neon Andy's Window Sign (0712-21-IWAL-1)
 - F Neon "Sprecher" Sign (AFC-STND-IWAL-3)


WANDY'S FROZEN CUSTARD/LOCATION: TEXAS 3121 E. BROAD STREET, MANSFIELD, TX 76063 (ART RENDERINGS)

1 Exploded View - scale: NTS



ELECTRICAL REQUIREMENTS
120V x (5) SEPARATE RUNS FOR 3-POINT ANIMATION

ELECTRICAL REQUIREMENTS
ARCHITECT SHALL COORDINATE ALL FLASHING DETAILS TO PROVIDE WEATHER TIGHT SEAL BETWEEN NEON FASCIA AND ROOF SYSTEM




AFC DISCLAIMER - FASCIA


The lighted fascia system PSG is providing is purely decorative and NOT to be made part of a waterproof envelop design.

PSG will NOT be responsible for water infiltration and resulting building damage as it relates to the decorative fascia system. Decorative fascia is NOT designed to be water proof and includes weep holes at the bottom for water to escape; building envelope to be waterproof outside of our assembly.

2 Orthographic Views: scale: 3/4" = 1'



3 Example Views: scale: NTS



ANDY'S FROZEN CUSTARD

CUSTOMER
AFC-STND-FASC-1 AS SHOWN
DRAWING NUMBER ELEVATION


DATE REVISED
03.06.20

DESIGNER
BUDDY HINDS
PROJECT MANAGER
TIM SWAIM


LOCATION
ALL

- SCOPE OF WORK
- A .040 Polished Aluminum Face
 - Finish - Bright Clear Anodized Aluminum
 - B .063 Aluminum Backpan
 - C Neon Illuminated Glass Tubes w/ Tube Supports
 - Clear Red 12mm Neon
 - Snow White 12mm Neon
 - D Access Panel
 - E Transformer
 - F 3/8" Flexible M/C Tube

ATTACHMENT METHOD



1 Exploded View - scale: NTS




AFC DISCLAIMER - FASCIA

The lighted fascia system PSG is providing is purely decorative and NOT to be made part of a waterproof envelop design.

PSG will NOT be responsible for water infiltration and resulting building damage as it relates to the decorative fascia system. Decorative fascia is NOT designed to be water proof and includes weep holes at the bottom for water to escape; building envelope to be waterproof outside of our assembly.

2 Orthographic Views - scale: 1/2"=1'



3 Example View - scale: NTS



ANDY'S FROZEN CUSTARD

CUSTOMER: ANDY'S FROZEN CUSTARD
 DRAWING NUMBER: AFC-STND-FASC-2
 ELEVATION: AS SHOWN

DATE REVISED: 03.06.20

DESIGNER: BUDDY HINDS
 PROJECT MANAGER: TIM SWAIM


ALL


LOCATION:

SCOPE OF WORK:


- A Painted .040 Aluminum Face
 - Pale - To Match PMS 186 (Glass)
- B Neon Illuminated Glass Tubes w/ Tube Supports
 - Clear Red 12mm Neon
 - Bright Yellow 12mm Neon
- C .063 Aluminum Backpan
- D Cut Vinyl Applied to Face
 - Vinyl - 3M Black (Opaque)
 - Vinyl - 3M White (Opaque)
 - Vinyl - Oracal Yellow (Opaque)
- E Access Panel
- F Transformer
- G 3/8" Flexible M/C Tube

ATTACHMENT METHOD:






ANDY'S FROZEN CUSTARD	
CUSTOMER	
0712-21-EWAL-1	AS SHOWN
DRAWING NUMBER	ELEVATION
07.12.21	
DATE REVISED	
BUDDY HINDS	TIM SWAIM
DESIGNER	PROJECT MANAGER
MANSFIELD, TX	
LOCATION	
SCOPE OF WORK	
Internally Illuminated Panfaced Wall Sign	
A	Internally LED Illuminated Cantour Cabinet
●	Paint - Black
B	Multi-Level Embossed Pan Face (Gloss); Back Spray-Painted (2nd Surface)
●	See Logo Chart for Color Specs.
C	Mounted Flush



A-ANDY'S FROZEN CUSTARD LOCATION: TEXAS 3121 E. BROAD STREET, MANSFIELD, TX 76063 (ART/RENDERINGS)


ATTACHMENT VIEW SCALE: NTS



ILLUMINATED VIEW SCALE: NTS



OVERHEAD VIEW SCALE: 1/8" = 1'



THIS DRAWING OR ANY COPY IS THE PROPERTY OF PINNACLE SIGN GROUP UNLESS PURCHASED OR WRITTEN CONSENT FROM PSG © 2018 PINNACLE SIGN COMPANY/ UNAUTHORIZED USE OF THIS WORK FOR ANY PURPOSE WILL RESULT IN LEGAL ACTION.

ANDY'S FROZEN CUSTARD	
CUSTOMER	
0712-21-SPEC-1	AS SHOWN
DRAWING NUMBER	ELEVATION
07.12.21	
DATE REVISED	
BUDDY HINDS	TIM SWAIM
PROJECT MANAGER	DESIGNER
MANSFIELD, TX	
LOCATION	
SCOPE OF WORK	

Reverse Channel Light Stripe


- ▲ Painted .125" Aluminum Cladding
 - Painted inside white
 - Mounting brackets Black (Setin)
 - Andy's red (gloss)

Renderings Typical
Pending Architectural Drawings

Section A - (1) Circuit; 20 Amps
Section B - (1) Circuit; 20 Amps
Total Amperage = 40 Amps



- A MONUMENT (0712-21-MONU-1)**
Masonry Structure; Illuminated Pan-Face Logo; Changeable Copy Board; Address Number FCOs
- B DIRECTIONAL SIGN (0712-21-DIRE-1)**
3' Height; 2-Sided Illuminated Directional
- C 1-SIDED MENU BOARD (AFC-STND-MENU-1-SS)**
3 Over 3 Panel Standard Menu; "Order at Window" Sign Panel w/ Bracket; Located at Drive-Thru
- D 2-SIDED MENU BOARD (AFC-STND-MENU-1-DS)**
3 Over 3 Panel Standard Menu; Located at Patio
- E CLEARANCE SIGN (AFC-STND-BAR-1)**
9' Clearance Standard Clearance Bar; "No Trailers" Sign Panel



ANDY'S FROZEN CUSTARD

CUSTOMER
0712-21-SITE-1 AS SHOWN
 DRAWING NUMBER ELEVATION
 DATE REVISED
07.12.21
 DESIGNER **BUDDY HINDS** PROJECT MANAGER **TIM SWAIM**

MANSFIELD, TX


LOCATION

SIGN SCHEDULE	QUANTITY
A 2-Sided Monument (0712-21-MONU-1)	1
B 2-Sided Illuminated Directional (AFC-STND-DIRE-1)	2
C 1-Sided Menu Board (AFC-STND-MENU-1-SS)	1
D 2-Sided Menu Board (AFC-STND-MENU-1-DS)	1
E Clearance Bar (AFC-STND-BAR-1)	1


1 Orthographic Views- scale: 3/8"=1'




2 Illuminated View- scale: 3/8"=1'



3 Element Details- scale: 1/2"=1'



4 FCO Address- scale: 1"=1'



ANDY'S FROZEN CUSTARD

CUSTOMER
0712-21-MONU-1 AS SHOWN
DRAWING NUMBER ELEVATION


07.12.21
DATE REVISED

BUDDY HINDS TIM SWAIM
DESIGNER PROJECT MANAGER


MANSFIELD, TX
LOCATION

SCOPE OF WORK
2-Sided Monument w/ Half Cone

- A LED Illuminated Contoured Aluminum Cabinet with Pan Embossed Backspray Painted Face
 - Black
 - See Logo Chart for Color Specs
- B Flush Mounted 1-Sided LED Illuminated Cabinets
 - Flat Face with 3 Line Letter Face, 2 Thumb Screw Latches per Retainer (4 Total) and Vandal Cover
 - Black
- C Painted 1/4" Aluminum FCO Address; Stud Mounted Flush to Monument Face
 - Silver
- D Changeable Copy Panel to Slide In and Out
 - Digital Print
- E Qty. 2-100 pc. 8 on 9 Std Cond. Font Letters; Qty. 1-50 pc. 8 on 9 Std Cond. Font Punctuation Set
- F Changeable Copy Letter Storage Cabinet



ORTHOGRAPHIC VIEWS SCALE: 3/4" = 1'



ACRYLIC FACES SCALE: 1:6



THIS DRAWING OR ANY COPY IS THE PROPERTY OF PINNACLE SIGN GROUP © 2019 PINNACLE SIGN COMPANY/ UNAUTHORIZED USE OF THIS WORK FOR ANY PURPOSE WILL RESULT IN LEGAL ACTION.

ANDY'S FROZEN CUSTARD


CUSTOMER	ANDY'S FROZEN CUSTARD
DRAWING NUMBER	0712-21-DIRE-1
ELEVATION	AS SHOWN
DATE REVISION	07.12.21
DESIGNER	BUDDY HINDS
PROJECT MANAGER	TIM SWAIM

MANSFIELD, TX

LOCATION
SCOPE OF WORK
2-Sided Internally Illuminated Directional


- A** Aluminum Extruded Cabinet
 - Paint - MP LV5953 Super Sparkle Silver (Satin)
- B** 4" Aluminum Square Post
 - Paint - MP LV5953 Super Sparkle Silver (Satin)
- C** 1/4" Aluminum Mounting Bracket
 - Paint - MP LV5953 Super Sparkle Silver (Satin)
- D** Clear Acrylic w/ Printed Vinyl Graphics
 - 1st Layer Vinyl - Digital Print on Clear Applied to 1st Surface
 - 2nd Layer Vinyl - Digital Print on Translucent Applied to 1st Surface

ATTACHMENT METHOD




ANDY'S FROZEN CUSTARD MASTER RENDERINGS

Orthographic Views - scale: 1/2"=1'




NOTE: No Exposed Fasteners in Steel Panel Faces


A Lighting - scale: NTS



B Cross-section views scale: 1-1/2"=1'




C Cross-section views scale: 1-1/2"=1'



4 Typical Drive Thru - scale: NTS



D Baseplate Cover - scale: NTS



ANDY'S FROZEN CUSTARD - MASTER


CUSTOMER	AS SHOWN
DRAWING NUMBER	ELEVATION
DATE REVISED	
03.12.20	
DESIGNER	PROJECT MANAGER
BUDDY HINDS	TIM SWAIM

ALL LOCATION SCOPE OF WORK


1-Sided Internally Illuminated Menu

- A Painted 4" Aluminum Tube Frame
 - Paint - Black (Satin)
- B Painted Steel Pan Magnet Backer
 - Paint - Black (Satin)
- C Fabricated Aluminum Light Shield
- D LED Tube Lighting
- E Bolt Covers Pointed to Match
- F .080 Aluminum "Drive Thru" Sign
- G Painted .080 Aluminum Bracket
 - Paint - Black (Satin)


ATTACHMENT METHOD




Orthographic Views - scale: 1/2"=1'




A Lighting - scale: NTS




B Cross-section views scale: 1-1/2"=1'



C Cross-section views scale: 1-1/2"=1'



D Baseplate Cover - scale: NTS




ANDY'S FROZEN CUSTARD - MASTER

CUSTOMER	
AFC-STND-MENU-1-DS	AS SHOWN
DRAWING NUMBER	ELEVATION
03.12.20	
DATE REVISED	
BUDDY HINDS	TIM SWAIM
DESIGNER	PROJECT MANAGER


ALL
LOCATION
SCOPE OF WORK
2-Sided Internally Illuminated Menu

- A** Painted 4" Aluminum Tube Frame
 - Paint - Black (Satin)
- B** Painted Steel Pan Magnet Backer
 - Paint - Black (Satin)
- C** Fabricated Aluminum Light Shield
- D** LED Tube Lighting
- E** Bolt Covers Painted to Match

ATTACHMENT METHOD



1 Orthographic Views- scale: 1/2"=1'



2 Post Sign- scale: 1 1/2"=1'



3 Example - scale: NTS



ANDY'S FROZEN CUSTARD

CUSTOMER
AFC-STND-BAR-1 AS SHOWN
DRAWING NUMBER ELEVATION

11.05.19
DATE REVISED

BUDDY HINDS **TIM SWAIM**
DESIGNER PROJECT MANAGER

ALL
LOCATION

SCOPE OF WORK

- A** Painted 3.5" Square Tube with White Reflective Vinyl Applied to Both Sides
 - Paint - PMS 186 Red
 - Vinyl - 3M 680cr
- B** Hanging Metal Chain
 - Paint - PMS 186 Red
- C** Painted 4.5" PVC Pipe with White Reflective Vinyl Applied
 - Paint - PMS 186 Red
 - Vinyl - 3M 680cr
- D** Painted 4.5" Steel Pipe
 - Paint - PMS 186 Red
- E** Painted 4" Steel Pipe
 - Paint - PMS 186 Red
- F** Digital Printed .080 Aluminum Sign; Fastened with Adjustable Hose Clamp Brackets
 - Digital Print Graphics
- G** Painted Bolt Head Cover
 - Paint - PMS 186 Red
- H** 12" Base Plate w/ Wedge Anchors into Concrete
- I** 24" x 48" Round Pier Footing

ATTACHMENT METHOD


IWAL-1 PLACEMENT SCALE: 1:60




IWAL-3 PLACEMENT SCALE: 1:60



INTERIOR SITE SCALE: NTS



IWAL-2 PLACEMENT SCALE: 1:60



ANDY'S FROZEN CUSTARD

CUSTOMER:
0712-21-INT-1 AS SHOWN
 DRAWING NUMBER ELEVATION

07.12.21
 DATE REVISED

BUDDY HINDS **TIM SWAIM**
 DESIGNER PROJECT MANAGER

MANSFIELD, TX
 LOCATION

SCOPE OF WORK

- A** Hanging Neon "Vegas" Sign (0712-21-IWAL-1)
- B** Neon Sprecher Window Sign (AFC-STND-IWAL-3)

Renderings Typical
 Pending Architectural Drawings

ATTACHMENT METHOD



1 Orthographic Views - scale: 1:20



2 Placement - scale: NTS



4 Detail Breakout - scale: NTS



1. 1/8" aluminum
2. 1-1/2" (1/8") Al tube
3. 2" (1/8") Al tube
4. 1/4" aluminum plate
5. red neon
6. yellow neon
7. white neon
8. transparent red LED flashing bulbs
9. standard medium (E26) base
10. low voltage wiring
11. neon wiring
12. push thru with applied vinyl
13. 2" aluminum angle
14. 1/4" bolts/washers/lock-nut
15. 1/4" lag screw
16. 3/4" Plywood Blocking (by GC)
17. electric cord
18. electric box (by GC)
19. hat-channel cover for electric


ANDY'S FROZEN CUSTARD

CUSTOMER	
0712-21-IWAL-1	AS SHOWN
DRAWING NUMBER	ELEVATION
07.12.21	
DATE REVISED	
BUDDY HINDS	TIM SWAIM
DESIGNER	PROJECT MANAGER
MANSFIELD, TX	
LOCATION	


SCOPE OF WORK

- A** Hanging Painted Backsplash with Vinyl Graphics
 - See Logo Chart for Color Specs
- B** Neon Lighted Letter and Outline
 - Clear Bright Yellow 12mm Neon
 - Clear Red 12mm Neon
 - Snow White 10mm Neon
- C** Painted Enclosed Wireway with Bulb Bases, LED Lighted Blinky Bulbs with 3 on 1 Off 4-Point Animated Sequence from Center Out
 - PMS 186 (Gloss)
 - Red LED Bulbs
- D** Exposed Back Mounted Transformers with All Back Hardware and GTOs Painted Black
 - Black (Gloss)
- E** Static Lighting Option when Regulated
- F** 1" Push Thru
 - Cardinal Red 3M Translucent Vinyl on face
 - White Translucent Vinyl on back
 - Red GE Tetra Max LEDs

ATTACHMENT METHOD



1 Elevation - scale: 1 1/2" = 1'




3 Example - scale: NTS




* Placement is Typical See INT-1 for Site Specific Info

2 Component Detail - scale: NTS



ELECTRICAL REQUIREMENTS
120V, 3 AMPS PER SIGN TO OUTLET 108" AFF

4 Typical Placement - scale: 1/4" = 1'






ANDY'S FROZEN CUSTARD

CUSTOMER	ANDY'S FROZEN CUSTARD
DRAWING NUMBER	AFC-STND-IWAL-3
ELEVATION	AS SHOWN
DATE	06.25.21
REVISION	
DESIGNER	BUDDY HINDS
PROJECT MANAGER	TIM SWAIM

ALL
LOCATION
SCOPE OF WORK
Hanging Neon Window Sign

- A Chain D-Clip to Ceiling (Adjust to Measure)
- B 6' Cord to 120v Service
- C On/Off Switch w/ Chain
- D 3/16" Clear Acrylic, Custom Bent to Shape
- E Electronic Transformer
- F Neon Tube Lighting
 - Neon - Clear Bright Yellow 12mm
 - Neon - Snow White 10mm
- G Digital Print Vinyl Applied to Face
 - Vinyl - Digital Print





ANDY'S FROZEN CUSTARD

CUSTOMER

0712-21-SPEC-2 AS SHOWN
DRAWING NUMBER ELEVATION

07.12.21
DATE REVISED

BUDDY HINDS **TIM SWAIM**
DESIGNER PROJECT MANAGER

MANSFIELD, TX
LOCATION

SCOPE OF WORK:

- Interior FCOs
- ▲ 1/4" PVC Lettering; Flush Mounted to Ceiling Element w/ 2-Sided Tape & Studs
 - PVC - White